

RECEIVED
SOURCE WATER
PROTECTION BRANCH

LYNN & GINGER COOK

3933 Kilgore Rd

Goliad, TX 77963

(361) 645-8550 (361) 676-6119

11 MAY -9 PM 2:41

6WQ-S

April 25, 2011

6WQ-*ECopy*..... 6WQ-D.....

6WQ-A..... 6WQ-C.....

6WQ-E..... 6WQ-P.....

6WQ-S*Original*.....

.....

Mr. Miguel Flores, Director
Water Quality Protection Division
United States Environmental Protection Agency
Region 6
1445 Ross Avenue 6 WQ
Dallas, TX 75202-2733

RECEIVED
EPA-6WQ-DIR OFC
11 MAY -9 PM 1:58

RE: Uranium Energy Corp.
TCEQ Docket No. 2008-1888-UIC (Aquifer Exemption)

Dear Mr. Flores:

In early March of 2011, the Texas Commission on Environmental Quality (TCEQ) issued an order to grant the above referenced application.


The requested aquifer exemption is for 423.8 acres located in the northwest corner of Goliad County and includes all four sands of the Evangeline Aquifer. This aquifer provides me, my immediate and extended family, my livestock and others residing in Goliad County with our drinking water which, at this time, is of good quality.


The requested area for exemption has a fault in the northwest boundary, as identified in the testimony given at the TCEQ contested case hearing (the EPA was provided a CD of all testimonies and recommendations, etc.). The administrative law judge's recommendation was to deny issuance of the permit until further testing of this area was performed to determine transmissivity and if the groundwater would or could be protected. As you are well aware, despite this being a drinking water aquifer, now and in the future, the TCEQ Commissioners granted the permit.

The EPA was presented data by the Goliad County Groundwater District's and Goliad County's expert consultants that two major requirements for an aquifer exemption cannot be achieved. Because of this data, we are requesting the EPA deny the aquifer exemption.

Therefore, in the alternative of denial, we would request that the EPA conduct a hearing on the merits and allow citizens who wish to participate the ability to do so. The large size of the requested exemption which includes four distinct layers of the aquifer and the close proximity of a large number of domestic water wells certainly warrants being classified as a "substantial" exemption, if such a designation is necessary to hold a hearing.

Respectfully,


Lynn Cook (with permission by
Ginger Cook)


Ginger Cook

GC

Cc: Al Armendariz, USEPA Administrator Region 6
Philip Dellinger, USEPA Region 6 UIC
Ray Leissner, USEPA Region 6 UIC
Goliad County Groundwater District
Goliad County Commissioners' Court

Ginger Cook
3933 Kilgore Rd
Goliad, TX 77963



Mr. Miguel Flores, Director
Water Quality Protection Division
United States Environmental Protection Agency
Region 6
1445 Ross Avenue 6WQ
Dallas, TX 75202-2733

Ginger Cook
3933 Kilgore Rd
Goliad TX 77963

CORPUS CHRISTI
TX 784 1 T
30 APR 2011 PM



Mr. Al Armentaiz, Administrator
USEPA Region 6
1445 Ross Avenue 6WQ
Dallas TX 75202-2733

75202+2733

